IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re		DOCKET No.:	49248
PATENT NO. OF: ISSUE DATE:	US 7,344,730 B1 STADLER ET AL. MARCH 18, 2008	Confirmation No.:	7928
SERIAL NO.	09/762.044	GROUP ART UNIT:	1615
DLIGHL I TO.	07/102,044		

FILED: FEBRUARY 01, 2001 EXAMINER: N. S. LEVY
FOR: SOIL GRANULATES WITH CONTROLLED ACTIVE INGREDIENT RELEASE (CR SOIL

GRANULATES)

Mail Stop Certificate of Correction

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION

Sir:

Applicants herewith submit a Certificate of Correction Form PTO/SB/44. It is respectfully requested that a corresponding Certificate of Correction be issued.

The change(s) noted in the Certificate Form correct errors which occurred on the part of the U.S. PTO. Since the errors occurred on the part of the U.S. PTO, no fee should be due in connection with this request.

However, please charge any shortage in fees due in connection with the filing of this paper, including Extension of Time fees, to Deposit Account No. 14.1437. Please credit any excess fees to such deposit account.

Respectfully submitted,
NOVAK DRUCE DELUCA & OUIGG

/James Remenick/ James Remenick Reg. No. 36,902

1300 Eye Street, N.W. Suite 1000 West Tower Washington, D.C. 20005 (202) 659-0100

Encl.: Certificate of Correction Form PTO/SB/44

JR/BAS

080324 - 1 -

Page 1 of 1

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a availed DMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : US 7,344,730		
APPLICATION NO: 09/762,044		
SSUE DATE : March 18, 2008		
NVENTOR(S) : STADLER et al.		
It is certified that an error appears or errors appear in the above-identified patent and th s hereby corrected as shown below:	at said Letters Pa	tent
In Claim 9, col. 38, indicated line 1: "which wherein" should readwherein		

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Novak, Druce + Quigg, LLP 1300 Eye Street, NW, 1000 West Tower Washington, DC 20005

This collection of information is required by 37 CPR 1.322, 1.323, and 1.324. The information is required to obtain or retain a beginning for a first of the property of the p